beorol
PREMIUM
EUROPEAN
Quality
SPRAY PAINT
ZINC
ANTI-CORROSION
HOME
PRIMER
DIAMOND
DECOR
COLOR
GRAFFITI • HOBBY • DIY
TRANSPARENT
ANTIQUE
FLUO
ALUMINIUM
BUMPER
THERMO
RESISTANT
SPRAY PAINT

Color

SPRAY PAINT

ACRYLIC SPRAY

Excellent coverage, good adhesion to various substrates, fast-drying

Acrylic spray paint designed to meet the needs of professional users. Intended for indoor and outdoor use. It has excellent adhesion, characteristics and it's suitable for painting materials made of metal (iron, brass, aluminum), ceramics, plastics and wood. Fast drying, it can be painted over and this makes it ideal for hobby use, model construction and industry. Features: Excellent coverage, non-yellowing, high resistance, pigment lead-free, fast-drying, CFC-free. Bottle of 400 ml covers an area of 1,5-2m² depending on the color of paint. Resistant to dust after 10 minutes, to touch after 20 minutes and full cure is achieved within 24 hours. It is resistant to temperatures of 100-120°C.

400ml

520 | 3 | e

C. F. C. FREE
NE SADRŽI GORIVA KOJA ŠTETE OZONU

GRAFFITI • HOBBY • DIY

AVAILABLE COLORS:

CODE: **S1000** **WHITE GLOSS**	CODE: **S1001** **WHITE MATTE**	CODE: **S9010** RAL**9010**	CODE: **S1013** RAL**1013**	CODE: **S1015** RAL**1015**
CODE: **S1021** RAL**1021**	CODE: **S1023** RAL**1023**	CODE: **S1018** RAL**1018**	CODE: **S2003** RAL**2003**	CODE: **S2004** RAL**2004**
CODE: **S3001** RAL**3001**	CODE: **S3000** RAL**3000**	CODE: **S3020** RAL**3020**	CODE: **S3003** RAL**3003**	CODE: **S3015** RAL**3015**
CODE: **S4005** RAL**4005**	CODE: **S4001** RAL**4001**	CODE: **S5017** RAL**5017**	CODE: **S5012** RAL**5012**	CODE: **S5010** RAL**5010**
CODE: **S5015** RAL**5015**	CODE: **S5013** RAL**5013**	CODE: **S6005** RAL**6005**	CODE: **S6002** RAL**6002**	CODE: **S6028** RAL**6028**
CODE: **S6029** RAL**6029**	CODE: **S6011** RAL**6011**	CODE: **S7001** RAL**7001**	CODE: **S7035** RAL**7035**	CODE: **S7016** RAL**7016**
CODE: **S8017** RAL**8017**	CODE: **S8011** RAL**8011**	CODE: **S8016** RAL**8016**	CODE: **S8003** RAL**8003**	CODE: **S8019** RAL **8019**
CODE: **S9001** **BLACK MATTE**	CODE: **S9000** **BLACK GLOSS**			

PREMIUM EUROPEAN Quality

Decor

SPRAY PAINT

DECO EFFECT

For decoration of household ornaments

Deko spray paint creates shiny coating on the surfaces. It is used for decoration of picture frames, decorative and New Year's items, cups etc. It can be used only in enclosed spaces. Not resistant to frequent handling, repainting or weather elements. If damaged it's possible to paint over with the same color. It is resistant to temperature of 100-120°C.

400ml 520 3 e

C. F. C. FREE NE SADRŽI GORIVA KOJA ŠTETE OZONU

AVAILABLE COLORS:

CODE: SDE01	CODE: SDE02	CODE: SDE03	CODE: SDE04	CODE: SDE05
COLOR: SILVER	COLOR: CHROME	COLOR: GOLD	COLOR: COPPER	COLOR: GOLD

PREMIUM EUROPEAN Quality

Diamond

SPRAY PAINT

DIAMOND EFFECT

Creates a decorative surface with diamond, pearl shine

Spray paint that creates a surface with diamond, pearl shine on objects applied on. Used for decoration on different kinds of materials and items (frames, bicycles, motorcycles, refrigerators etc.). Features: excellent coverage, high resistance, pigment without lead, fast-drying, No CFCs. Bottle of 400 ml covers an area of 1,5-2m² depending on the color of paint. Resistant to dust after 10 minutes, to touch after 20 minutes and full cure is achieved within 24 hours. It is resistant to temperatures of 100-120°C.

400ml 520 3 e

C. F. C. FREE NE SADRŽI GORIVA KOJA ŠTETE OZONU

AVAILABLE COLORS:

CODE: SDI01	CODE: SDI02	CODE: SDI03	CODE: SDI04	CODE: SDI05	CODE: SDI06
COLOR: GRAY	COLOR: BLACK	COLOR: BLUE	COLOR: YELLOW	COLOR: GREEN	COLOR: RED

PREMIUM EUROPEAN Quality

Antique

SPRAY PAINT

ANTQUE EFFECT

Acrylic paint for decoration and protection of metallic surfaces and objects

Very thick acrylic spray paint that is ideal for objects made of iron (both new and partially attacked by atmospheric conditions.) High corrosion resistance provides excellent long term protection. This makes it ideal for use on fences and gates, roof elements, pipes, ladders, gutters and doors. It can be used for repairs and maintenance in the industry because of its special corrosion resistance. Features: Excellent coverage, blocks corrosion, high resistance and long protection, fast-drying. Bottle of 400 ml covers an area of 1,5-2m^2. Resistant to dust after 10 minutes, to touch after 20 minutes and full cure is achieved within 24 hours. It is resistant to temperatures of 100-130°C.

400ml
520 3 e

C. F. C. FREE NE SADRŽI GORIVA KOJA ŠTETE OZONU

AVAILABLE COLORS:

CODE: SAN01	CODE: SAN02	CODE: SAN03	CODE: SAN04	CODE: SAN05
COLOR: IRON	COLOR: GRAY	COLOR: GRAY	COLOR: BRONZE	COLOR: RED

PREMIUM EUROPEAN Quality

Fluo

SPRAY PAINT

FLUO EFFECT

Reflective spray paint for increased visibility in low light conditions

Fluorescent acrylic reflective spray paint. It illuminates the surfaces and makes them visible from big distances even under conditions of low light. It is suitable for use in open and closed spaces on objects made of metal, plastic, wood, glass and ceramics as well as the surfaces made of brick, concrete or plaster. Characteristics: Effective in low-light conditions. Bottle of 400ml covers an area of 1,5-2m^2 depending color paint. Resistant to dust after 10 minutes, to touch after 20 minutes and full cure is achieved within 24 hours. It is resistant to temperatures of 100-120°C.

400ml
520 3 e

C. F. C. FREE NE SADRŽI GORIVA KOJA ŠTETE OZONU

AVAILABLE COLORS:

CODE: SFL01	CODE: SFL02	CODE: SFL03	CODE: SFL04	CODE: SFL05
COLOR: ORANGE	COLOR: YELLOW	COLOR: GREEN	COLOR: BLUE	COLOR: RED

Thermo Resistant

SPRAY PAINT

THERMO RESISTANT

Ideal for use on surfaces exposed to high temperatures

Special silicone spray paint resistant to high temperatures. It is suitable for use on exhaust systems, coolers and valves on cars, radiators, chimneys and ovens. Features: Available in black, silver and red color resistant to temperatures up to 600°C. Also available in white and transparent color resistant to temperatures up to 300°C. Bottle of 400ml covers an area of 1,5-2m² depending color paint. Resistant to dust after 10 minutes, to touch after 20 minutes and full cure is achieved within 24 hours.

400ml
520

C. F. C. FREE NE SADRŽI GORIVA KOJA ŠTETE OZONU

AVAILABLE COLORS:

CODE: **SVT01**
COLOR: **BLACK**

CODE: **SVT02**
COLOR: **ALUMINIUM**

CODE: **SVT03**
COLOR: **RED**

CODE: **SVT04**
COLOR: **WHITE**

CODE: **SVT05**
COLOR: **TRANSPARENT**

Home Appliance

SPRAY PAINT

HOME APPLIANCE SPRAY

For maintenance and repairs on metal surfaces of household appliances

Acrylic spray paint for household appliances. Made for use on metals for renewing paint and repairs on damaged home appliances (refrigerators, microwave ovens, stoves, radiators ...). Gives home appliances new shine. Characteristics: excellent coverage, non-yellowing, high resistance, pigment without lead, fast-drying, CFC-free. Bottle 400ml covers area of 1,5-2m². Resistant to dust after 10 minutes, to touch after 20 minutes and full cure is achieved within 24 hours.

400ml
520

C. F. C. FREE NE SADRŽI GORIVA KOJA ŠTETE OZONU

AVAILABLE COLORS:

CODE: **SKAP**
COLOR: **WHITE**

PREMIUM EUROPEAN Quality

Transparent

SPRAY PAINT

CLEARCOAT PAINT

Transparent protective acrylic lacquer for indoor and outdoor use

Colorless acrylic lacquer spray with excellent adhesion to metal surfaces. Designed for indoor and outdoor use. Protects from weather conditions and maintains original appearance. Also suitable for use on ceramics, wood and plastic. Characteristics: excellent coverage, non-yellowing, high resistance, pigment without lead, fast-drying, CFC-free. Bottle of 400ml covers area of 1,5-2m². Resistant to dust after 10 minutes, to touch after 20 minutes and full cure is achieved within 24 hours. It is resistant to temperatures of 100-120°C. It can be painted over with new layers of paint.

400ml
520 3 e

C. F. C. FREE NE SADRŽI GORIVA KOJA ŠTETE OZON!

AVAILABLE COLORS:

CODE: **SLBS**
COLOR: **GLOSS**

CODE: **SLBM**
COLOR: **MATTE**

PREMIUM EUROPEAN Quality

Bumper

SPRAY PAINT

BUMPER PAINT

For use on plastic materials. resistant to scratch, light impacts and atmospheric elements

Spray paint for bumpers and spoilers. Intended for use on plastic materials. Restores original structure of bumper. It is resistant to scratches, light impacts, chemicals and weathering. Features: excellent coverage, high resistance, pigment without lead, fast-drying, without CFCs. Bottle of 400 ml covers an area of 1,5-2m². Resistant to dust after 10 minutes, to touch after 20 minutes and full cure is achieved within 24 hours. It is resistant to temperatures of 100-120°C.

400ml
520 3 e

C. F. C. FREE NE SADRŽI GORIVA KOJA ŠTETE OZON!

AVAILABLE COLORS:

CODE: **SBRS**
COLOR: **GREY**

CODE: **SBRC**
COLOR: **BLACK**

*DISPLAY COLORS IN THE BROCHURE DOES NOT MATCH FULLY PAINT ON A BOTTLE

PREMIUM EUROPEAN Quality

Primer

SPRAY PAINT

UNIVERSAL PRIMER

The preparatory layer for hard adherent surfaces

Acrylic Spray with excellent bonding to almost all types of materials: plastic, metal, wood, ceramics etc. Used as foundation for better adhesion of over layers of paint on materials such as polycarbonates, polypropylene, and other hard bonding materials. Characteristics: excellent coverage, high resistance, pigment without lead, fast-drying, CFC-free. Bottle of 400ml covers area of 1,5-2m^2 depending on the material to be coated. Resistant to dust after 10 minutes, to touch after 20 minutes and full cure is achieved within 24 hours. It is resistant to temperatures of 100-120°C.

400ml
520

C. F. C. FREE NE SADRŽI GORIVA KOJA ŠTETE OZONU

AVAILABLE COLORS:

CODE: **SPRU**
COLOR: **TRANSPARENT**

PREMIUM EUROPEAN Quality

Aluminium

SPRAY PAINT

WHEELS RIME PAINT

Restores appearance of damaged wheels and provides long lasting protection

Rim spray is used for repair of damaged wheels and provides long-lasting and quality protection from brake oil and all kinds dirt. Characteristics: excellent coverage, non-yellowing, high resistance, pigment without lead, fast-drying, CFC-free. Bottle of 400ml covers area of 1,5-2m^2. Resistant to dust After 10 minutes, to touch after 20 minutes and full cure is achieved within 24 hours. It is resistant to temperatures of 100-120°C.

400ml
520

C. F. C. FREE NE SADRŽI GORIVA KOJA ŠTETE OZONU

AVAILABLE COLORS:

CODE: **SFAL**
COLOR: **ALUMINIUM**

beorol

PREMIUM EUROPEAN Quality

Anti-Corrosion

SPRAY PAINT

CORROSION PROTECTION

It provides long-term protection from corrosion on all metal surfaces

Anticorrosion spray provides long-term corrosion protection. It can be covered by the following layers of paint after complete drying. Resistant to dust after 10 minutes, to touch after 20 minutes and completely cures after 24 hours. Resistant to all weather elements. Features: excellent coverage, high resistance, pigment lead-free, fast-drying, CFC-free. Bottle of 400ml covers an area of 1,5-2m^2. Resistant to temperature between 100-120°C.

400ml
520 3 e

C. F. C. FREE
NE SADRŽI GORIVA KOJA ŠTETE OZON!

AVAILABLE COLORS:

CODE: **SAKS**
COLOR: **GREY**

PREMIUM EUROPEAN Quality

Zinc

SPRAY PAINT

ZINC PROTECTION

Protects from all weather elements.

Zinc spray preventively protects tanks, metal pillars, welded joints, railings and joiner parts. It can be used after making threading, welding or cutting to achieve corrosion resistance. Characteristics: Forms elastic film resistant to all weather elements. May represent a final protective layer or it can be painted over. Lead-free, fast-drying, CFC-free. bottle of 400ml covers an area of 1,5-2m^2. Resistant to dust after 10 minutes, to touch after 20 minutes and full cure is achieved within 24 hours. Resistant to temperatures up ro 180°C.

400ml
520 3 e

C. F. C. FREE
NE SADRŽI GORIVA KOJA ŠTETE OZON!

AVAILABLE COLORS:

CODE: **SCIN**
COLOR: **ZINC**

NEW STANDS

4 new combinations for displaying a complete range of sprays

SS-01

43 different items
Total 150 sprays

SS-02

70 different items
Total 150 sprays

SS-03

70 different items
Total 300 sprays

SS-04

70 different items
Total 300 sprays

ITALIAN QUALITY

SPRAY PAINT

beorol

Serbia
Patrijarha Dimitrija 121a, 11090 Belgrade
tel/fax: 011 804 22 44, 804 22 15, 2564 300, 2564 303,
mob: +381 063 330 146, +381 060 340 6161
e-mail: beorol@beorol.rs

Montenegro
Livada Bandići bb, 81410 Danilovgrad
tel: +382 (o) 20 689 689
mob: +382 (o) 67 226 759
e-mail: beorolmontenegro@beorol.com

Bosnia and Herzegovina
Dunavska 1c, 78000 Banja Luka
tel: +387 (0) 51 450 292
fax: +387 (0) 51 450 292
mob: +387 (0) 66 714 037
e-mail: beorolbih@beorol.com

Northern Macedonia
Беорол Македонија дооел
Ул.532 бр.178, Скопје
тел/факс: +389 2 615 98 90
моб: +389 78 289 710
e-mail: beorolmakedonija@beorol.com

Hungary
Cinkotai ut. 32, XVII, 1172
Budapest
tel/fax: +36 1 253 00 77,
+36 1 253 00 76
e-mail: beorolhungary@beorol.com

Middle East
DIP1, Dubai, UAE
tel: +971 50 730 4948,
+971 50 730 4954
mob: +36 30 230 58 64
e-mail: slav@beorol.com

Romania
Strada Calea Radnei nr
288A, 310318 Arad
tel/fax: +40 727 049 782
e-mail: gligor.t@beorol.com